

# 2

## All Conway Trailer Tents feature

### ASSEMBLY INSTRUCTIONS

MODEL	FOLLOW PAGE NO'S.
<b>Corniche</b>	2,3 6,7
<b>Campa/Campa De Luxe</b>	2,3 4,5
<b>Colt/Colt De Luxe</b>	2,3 8,9
<b>Calypso</b>	10, 11


For all models, apart from the Calypso, follow the instructions illustrated on these pages, then to complete assembly:

for Corniche see pages 6,7  
for Campa/Campa De Luxe see pages 4,5  
for Colt/Colt De Luxe see pages 8,9


Pages 12-16 show exploded view of trailers and extension frames with list of parts.

These simple instructions show you in easy stages all you need to know on how to assemble your Conway Trailer Tent. Every model shares the same basic assembly system but there are variations in the final stages for each model. When you have completed all the stages shown here, just unfold the relevant pages for your model to finish off.


A Conway Trailer Tent will take you only minutes to erect, and needs the minimum of effort — it really is child's play.




1. Unhitch trailer from car. Position on as level ground as possible. Drop down the four trailer corner jacks.




2. Remove cover by detaching elastic cord from black plastic cleats.



3. Drop the four corner kitchen support jacks to within 1/2 inch of ground. Release the two protex fasteners on either side of the kitchen, which will in turn release the kitchen from trailer.



4. Now slide kitchen away enough to disconnect 7 pin plug.



5. Slide the kitchen off carrying rails and away from the trailer.



6. Swing over left hand cabin roof support frames and then same on right hand side.




# re a fast simple assembly system

# 3



**7.** Lift up the two hinged arms to form the 5th roof support pole.



**11.** Clip the inner tents to the framework.




**8.** Extend each of the 4 cabin support poles by pushing upwards simultaneously at front and back. Locate the small button clip in the centre at the back of 5 holes in each pole. Adjust as necessary when pegging out.




**12.** Pull down all walls of cabin canvas.



**9.** Fold over each bed board and mattress to each side. Check that each bed leg is securely located and adjust as necessary.



**10.** Release elastic bands restraining inner tents and mattresses.






# 6

## CONWAY CORNICHE


The flagship of the Conway range, the Corniche is practical as well as supremely comfortable. Its zip-on extension allows overnight stopping with the minimum of effort, and on site its abundance of superb features make it the last word in camping luxury.




**14.** Layout framework for short 1.4m extension. See parts list overleaf for detailed diagram.




**15.** Connect centre extension roof pole to main cabin by means of hook and attach to centre extension 'A' frame.




**16.** Add side cabin roof poles and legs.




**17.** Pull forward extension canvas from main tent and locate short canopy poles through gussets.



**18.** If the tent is to be used in the Weekender position, the loose wall should now be zipped in and the tent pegged out with all zips closed.




**19.** Zip main extension canvas to short Weekender extension.




**20.** Throw canvas back over main tent.






**21.** Layout main extension frame. See parts list overleaf for detailed diagram.




**24.** Pull extension canvas forward over extension frame.




**22.** (i) Slide extension roof poles over short canopy poles of Weekender extension.


(ii) Connect centre roof pole to main extension 'A' frame.



**25.** Locate three short canopy poles.



**23.** Connect legs and side roof poles to main extension 'A' frame.



**26.** Adjust frame as necessary and peg out with all zips closed. The removable panel should be zipped into main extension when pegging out.



CALYPSO







# Cabin Frame Parts

All Models




Contiki L/De Luxe, Corniche L, De Luxe, Camargue

Ref No.	Part No.	Qty	Description
A	ST9305	2	Lower Cabin Pole, Left Hand Rear & Right Hand Front
B	ST9305	2	Lower Cabin Pole, Left Hand Front & Right Hand Rear
C	ST9316	4	Upper Cabin Pole, Left Hand & Right Hand
D	ST9300	2	Cabin Roof Pole, Left Hand & Right Hand
E	ST9303	2	Lower Central Cabin Pole, Left Hand Rear & Left Hand Front
F	CF1002	2	Pole Channel
G	ST9304	2	Lower Central Cabin Pole, Right Hand Rear & Right Hand Front
H	ST9317	4	Upper Central Cabin Pole, Left Hand & Right Hand Rear & Front
J	ST9301	2	Central Cabin Roof Pole, Left Hand & Right Hand
K	ST9345	1	Cabin Ridge Pole
L	ST9308	2	Ridge Pole Tie Piece with Button Clip, Left Hand
M	ST9309	2	Ridge Pole Tie Piece without Button Clip, Right Hand




## Contiki L/De Luxe Extension Frame Parts

Ref No.	Part No.	Qty	Description
1	ST9850	2	Roof Pole with Long Hook
2	ST9870	1	Roof Pole with Short Hook
3	ST9890	3	Roof Pole with Adjusting Screw
4	ST9550	1	Right Hand Support Leg with Three-Way Branch & Spike
5	ST9551	1	Centre Branch with Spike & Two Poles
6	ST9552	1	Left Hand Support Leg with Three-Way Branch & Spike
7	ST9553	1	Centre Support Leg



# Camargue Extension Frame Parts

Ref No.	Part No.	Qty	Description
1	ST9554	1	Front Left Hand Branch with Leg
2	ST9555	1	Centre Five-Way Branch
3	ST9556	1	Front Right Hand Branch with Leg
4	ST9557	1	Front Centre Leg
5	ST10046	3	Stub Canopy Pole
6	ST9891	3	Roof Pole with Adjustment
7	ST9851	2	Roof Pole with Long Hook
8	ST9851	1	Roof Pole with Long Hook
9	ST9558	1	Left Hand Branch with Leg, Three-Way
10	ST9559	1	Right Hand Branch with Leg, Three-Way
11	ST9896	3	Roof Pole with Adjustment
12	ST9855	2	Roof Pole with Long Hook
13	ST9875	1	Centre Roof Pole with Short Hook
14	ST9560	1	Upper Wardrobe Pole with Adjustment
15	ST10004	1	Lower Wardrobe Pole
16	ST9561	1	Centre Three-Way Branch



Conway Products Ltd  
Skull House Lane, Appley Bridge,  
Wigan WN6 9DW  
Tel: (02575) 4535. Telex: 67121. Fax: (02575) 4547

Due to a process of ever continuing product improvement, some details contained in this 1988 brochure may change. However the information is correct at the time of going to press.